




EF 28-80mm 1:3.5-5.6

REF.NO.C21-9901


PARTS CATALOG

CODE	Country of Origin
C	CANON INC.
CJ	CANON INC. JAPAN
CJMM	CANON INC. JAPAN MADE IN MALAYSIA
CJMC	CANON INC. JAPAN MADE IN CHINA
CMJ	CANON INC. MADE IN JAPAN
CMT	CANON INC. MADE IN TAIWAN


CANON LENS EF 28-80 mm 1:3.5-5.6




CANON LENS EF 28-80 mm 1:3.5-5.6




CANON LENS EF 28-80 mm 1:3.5-5.6



CANON LENS EF 28-80 mm 1:3.5-5.6



CANON LENS EF 28-80 mm 1:3.5-5.6



PARTS LIST

REF.No.C21-9901

NEW	PARTS NO.	CLASS	QTY	DESCRIPTION	PAGE
	CY1-2619-000	D	1	HELICOID, OUTER	3
	CY1-2772-000	D	1	COVER, BACK (CMT)	1
	CY1-2773-000	D	1	COVER, BACK (C)	1
	XA4-9170-257		1	SCREW, CROSS-RECESS, PH	1
	XA4-9170-457		7	SCREW, CROSS-RECESS, PH	1,3
	XA4-9170-507		3	SCREW, CROSS-RECESS, PH	1
	XA4-9170-707		2	SCREW, CROSS-RECESS, PH	2
	XA4-9200-407		1	SCREW, CROSS-RECESS, PH	3
	Y11-3902-000	F	1	LEAD (BLACK)	2
	Y11-3913-000	F	1	LEAD (BROWN)	2
	YA2-0037-000	D	3	COLLAR, ZOOMING	1
	YA2-0121-000	F	2	SCREW, SLOTTED, FFH	2
	YA2-0965-000	D	1	CONTACT ASS'Y	2
	YA2-0969-000	E	1	WASHER, DUST SHIELD	4
	YA2-0970-000	D	1	BRUSH, ZOOMING	1
	YA2-0978-000	E	1	STOP, FOCUSING	3
	YA2-0979-000	E	1	STOP, RUBBER	3
	YA2-1885-000	E	1	BARREL, CAM	3
	YA2-1891-060	E	1	SPRING, FLARE-CUT APERTURE	5
	YA2-1894-000	D	2	KEY	1
	YA2-1902-000	E	1	RING, REINFORCEMENT	4
	YA2-2103-000	D	1	RUBBER, FRICTION	1
	YA2-2450-000	E	1	RING, RUBBER	1
	YA2-2453-000	F	3	SCREW, CROSS-RECESS, PH	3
	YA2-2779-000	D	1	HELICOID, INNER	3
	YA2-2780-000	D	1	RING, ZOOMING	4
	YA2-2783-000	E	1	APERTURE, FLARE-CUT	5
	YA2-2787-000	D	1	RING, INDEX	1
	YA2-2788-000	E	1	GEAR, FOCUSING	3
	YA2-2792-000	F	3	SCREW, CROSS-RECESS, PH	5
	YA2-2802-000	D	1	RING, NAME	4
	YG2-0221-000	C	1	AF DRIVE UNIT	2
	YG2-0294-000	D	1	PCB ASS'Y, MAIN	2
	YG9-0376-000	D	1	A/M SWITCH ASS'Y	1
	YG9-0457-000	D	1	LENS ASS'Y, REAR	5
	YG9-0458-000	D	1	POWER DIAPHRAGM UNIT	5
	YG9-0460-000	D	1	LENS/DIAPHRAGM UNIT	5
	YG9-0462-000	D	1	MOUNT ASS'Y	2
	YG9-0465-000	D	1	LENS ASS'Y, FRONT	3

CANON LENS EF 28-80mm 1:3.5-5.6

